





CyberLab

Precision air conditioning unit for a constant climate in archives, warehouses, museums and laboratories

STULZ worldwide



STULZ is a global company with headquarters in Hamburg, Germany, 17 subsidiaries, 7 production sites and sales and service partners in more than 120 countries.

In 1971 we began specializing in the development and production of precision air conditioning units and chillers for data centers. That's a wealth of experience gathered over 40 years from many thousands of projects that we've implemented worldwide.



Technical development from Germany

We put a great deal of experience and innovative spirit into our air conditioning systems. Engineers, specialist departments and sales employees work closely together and are involved through all stages of development, all the way to the finished product. We brook no compromise where the efficiency of our products is concerned, and cost-effective operation is at the heart of our endeavors.



Test to your specifications

In our state-of-the-art, 700-square-meter Test Center with its various climate chambers, we can perform a variety of tests on precision air conditioning systems. If you are interested in a STULZ solution, you can book a witness test in our Test Center. This allows you to have the desired air conditioning system tested according to your exact specifications, creating transparency and providing you with information about the system's performance and energy consumption.

Intelligent solution for special applications

In laboratories, archives, museums and warehouses, the temperature and air humidity need to be kept constant to ensure that sensitive stored goods do not deteriorate.

With its new CyberLab unit, STULZ offers a solution that is both reliable and efficient, and was developed especially for these kinds of situations, with no or just a low heat load.

STULZ has been an expert in the cooling of mission-critical applications for over 40 years. Now, we also have a standardized solution for you, which is quick and easy to install.





Benefits at a glance

- The market's first standardized unit for special applications of this kind
- Compact design for easier transport and installation
- Satisfies the hygiene requirements of VDI 6022
- Designed for continuous, no-downtime operation over many years
- High-quality, perfectly harmonized components
- Precise control system
- Use of EC technology for maximum efficiency
- Opportunity to get your unit tested in our Test Center
- Service available worldwide

lacksquare

Flexible and simple installation




The compact CyberLab units can be installed in the room quickly and easily.




Hygiene requirements to VDI 6022

The CyberLab was designed to comply with the requirements of the VDI 6022 German hygiene regulations. In order to satisfy these requirements, among other things the units are fitted with four windows. This enables you to check the condition of the condensate tray and heat exchanger easily at any time, and so prevent the growth of bacteria.



Humidification

For humidification, our STULZ UltraSonic BNB is connected externally and controlled by the CyberLab controller. These STULZ units are perfectly coordinated to guarantee optimum operation.



Precise control for maximum reliability

To ensure the highest possible standards when it comes to reliability and efficiency, the air conditioning and the control system must work in perfect harmony. That is why here at STULZ we research and develop our controllers ourselves.

The CyberLab is equipped with our innovative C7000, which controls all components, including the external STULZ humidifier, with the utmost precision. This keeps the temperature and air humidity precisely constant, while cutting operating costs to a minimum.



EC compressor for maximum efficiency

- Infinite compressor control for precise temperature regulation
- Maximum efficiency especially in partial load mode
- Constant supply air temperature
- Integrated compressor soft start to protect the power line
- Long service life thanks to continuous operation without compressor on/off cycles

Technical data

CyberLab units are available in an air-cooled Upflow version.

Total cooling capacity¹¹ (kW)	20.1	
Sensible cooling capacity¹) (kW)	20.1	
Output control range (%)	0-100	
Power consumption (kW)	5.9	
Air flowrate (m³/h)	6000	
Noise level ²⁾ (dBA)	57	
External static pressure (Pa)	50	
Max. external static pressure (Pa)	450	
Refrigerant	R410a	

Note:

All data apply at 400V/3 ph/50 Hz with 50 Pa ESP

Data for 60 Hz available on request.

STULZ UltraSonic BNB

Model	Humidifying output (kg/h)	Number of oscillators	Power consumption (VA)	Dimensions (WxHxD in mm)
BNB 5000A	5.0	10	430	694×255×200
BNB 8000A	8.0	16	670	1024×255×200

¹ Return air conditions: 24° C/45 % r. h.

² Noise level at a height of 1 m and a distance of 2 m in front of the unit, in free-field conditions and with nominal data.

Technical data subject to change without notice.

STULZ GmbH

Holsteiner Chaussee 283 | 22457 Hamburg Tel.: +49 40 5585-0 | Fax: +49 40 5585 352 | products@stulz.de

STULZ Subsidiaries

STULZ Australia Pty. Ltd. 34 Bearing Road | Seven Hills NSW 21 47 Tel.: +61 (2) 96 74 47 00 | Fax: +61 (2) 96 74 67 22 | sales@stulz.com.au

STULZ Austria GmbH Lamezanstraße 9 | 1230 Wien

Tel.: +43 (1) 615 99 81-0 | Fax: +43 (1) 616 02 30 | info@stulz.at

STULZ Belgium BVBA

Tervurenlaan 34 | 1040 Brussels Tel.: +32 (470) 29 20 20 | info@stulz.be

STULZ Brasil Ar Condicionado Ltda.

Rua Cancioneiro de Évora, 140 | Bairro - Santo Amaro | São Paulo-SP | CEP 04708-010 Tel.: +55 11 4163 4989 | Fax: +55 11 2389 6620 | comercial@stulzbrasil.com.br

STULZ Air Technology and Services Shanghai Co., Ltd.

Room 5505, 1486 West Nanjing Road, JingAn | Shanghai 200040 . P.R. China Tel.: +86 (21) 3360 7133 | Fax: +86 (21) 3360 7138 | info@stulz.cn

STULZ España S.A.

STULZ france S. A. R. L.

107, Chemin de Ronde | 78290 Croissy-sur-Seine Tel.: +33 (1) 34 80 47 70 | Fax: +33 (1) 34 80 47 79 | info@stulz.fr

STULZ U. K. Ltd.

First Quarter, Blenheim Rd. | Epsom | Surrey KT 19 9 QN Tel.: +44 (1372) 74 96 66 | Fax: +44 (1372) 73 94 44 | sales@stulz.co.uk

STULZ S.p.A.

 $\label{eq:Valeggiosul Mincio (VR)} Via Torricelli, 3 ~ | ~ 37067 \ Valeggio sul Mincio (VR) \\ Tel.: +39 (045) 633 16 00 ~ | ~ Fax: +39 (045) 633 16 35 ~ | ~ info@stulz.it | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~ 1000 \ | ~$

STULZ-CHSPL (India) Pvt. Ltd.

006, Jagruti Industrial Estate | Mogul Lane, Mahim | Mumbai - 400 016 Tel.: +91 (22) 56 66 94 46 | Fax: +91 (22) 56 66 94 48 | info@stulz.in

STULZ México S.A. de C.V.

Avda. Santa Fe No. 170 – Oficina 2-2-08 | German Centre | Delegación Alvaro Obregon | MX-01210 México Distrito Federal Tel.: +52 (55) 52 92 85 96 | Fax: +52 (55) 52 54 02 57 | belsaguy@stulz.com.mx

STULZ GROEP B. V.

Postbus 75 | 1180 AB Amstelveen Tel.: +31 (20) 54 51 111 | Fax: +31 (20) 64 58 764 | stulz@stulz.nl

STULZ New Zealand Ltd.

Office 71, 300 Richmond Rd. | Grey Lynn | Auckland Tel.: +64 (9) 360 32 32 | Fax: +64 (9) 360 21 80 | sales@stulz.co.nz

STULZ Polska SP. Z O.O.

Budynek Mistral . Al. Jerozolimskie 162 . 02 – 342 Warszawa Tel.: +48 (22) 883 30 80 | Fax: +48 (22) 824 26 78 . info@stulz.pl

STULZ Singapore Pte Ltd.

33 Ubi Ave 3 #03-38 Vertex | Singapore 408868 Tel.: +65 6749 2738 | Fax: +65 6749 2750 | andrew.peh@stulz.sg

STULZ AIR TECHNOLOGY SYSTEMS (SATS), INC.

1572 Tilco Drive | Frederick, MD 21704 Tel.: +1 (301) 620 20 33 | Fax: +1 (301) 662 54 87 | info@stulz-ats.com

STULZ South Africa Pty. Ltd.

Unit 3, Jan Smuts Business Park | Jet Park | Boksburg | Gauteng, South Africa Tel.: +27 (0) 11 397 2363 | Fax: +27 (0) 11 397 3945 | aftersales@stulz.co.za

Close to you around the world

With specialist, competent partners in ten German branches and in subsidiaries and exclusive sales and service agents around the world.

Our seven production sites are situated in Europe, North America and Asia.



You can find out more on our CyberLab product page.

9-15 en· © STULZ GmbH, Hamburg